

L Number	Hits	Search Text	DB	Time stamp
3	1381	345/82,83,55,102.ccls.	USPAT; US-PGPUB	2004/06/29 13:13
4	52	345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2)	USPAT; US-PGPUB	2004/06/29 13:24
5	0	(345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 (blink\$3 or turn\$3) near8 (time adj division))	USPAT; US-PGPUB	2004/06/29 13:24
6	1	(345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 (time adj division))	USPAT; US-PGPUB	2004/06/29 13:18
7	1	(345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) with (time adj division))	USPAT; US-PGPUB	2004/06/29 13:27
8	12	(345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 alternat\$3)	USPAT; US-PGPUB	2004/06/29 13:34
9	3115	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:24
10	4	((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 (blink\$3 or turn\$3) near8 (time adj division))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:27
11	4	((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) with (blink\$3 or turn\$3) with (time adj division))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:34
12	29	((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) with (time adj division))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:27
13	25	(((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) with (time adj division))) not (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 (blink\$3 or turn\$3) near8 (time adj division)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:28
14	256	((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 alternat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:34
15	147	(((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 alternat\$3)) and ((led or (light adj emit\$4 adj diode)) with (blink\$3 or turn\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:35
16	140	(((((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 alternat\$3)) and ((led or (light adj emit\$4 adj diode)) with (blink\$3 or turn\$3))) not (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) with (time adj division)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:37
-	1247	345/82,83,55,102.ccls.	USPAT; US-PGPUB	2004/01/21 07:26
-	45	345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2)	USPAT; US-PGPUB	2004/06/29 13:13
-	13	(345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)	USPAT; US-PGPUB	2004/01/21 08:09

-	11	((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (@ad<20020207)	USPAT; US-PGPUB	2004/01/21 08:28
-	1	((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (boost\$3 near3 voltage)	USPAT; US-PGPUB	2004/01/21 08:10
-	4	((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and temperature	USPAT; US-PGPUB	2004/01/21 07:56
-	2	((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) not (((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (@ad<20020207))	USPAT; US-PGPUB	2004/06/29 13:14
-	115	345/82,83,55,102.ccls. and (constant adj2 current)	USPAT; US-PGPUB	2004/06/29 13:13
-	6	(345/82,83,55,102.ccls. and (constant adj2 current)) and (boost\$3 near3 voltage)	USPAT; US-PGPUB	2004/01/21 07:53
-	5	((345/82,83,55,102.ccls. and (constant adj2 current)) and (boost\$3 near3 voltage)) not (((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (boost\$3 near3 voltage))	USPAT; US-PGPUB	2004/01/21 07:53
-	55	(345/82,83,55,102.ccls. and (constant adj2 current)) and temperature	USPAT; US-PGPUB	2004/01/21 07:56
-	6	(345/82,83,55,102.ccls. and (constant adj2 current)) and (temperature near3 sens\$3)	USPAT; US-PGPUB	2004/01/21 07:57
-	4	((345/82,83,55,102.ccls. and (constant adj2 current)) and temperature) and ((constant adj2 current) near8 (var\$5 or chang\$4 or adjust\$4) near8 temperature)	USPAT; US-PGPUB	2004/01/21 08:25
-	2951	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 08:12
-	285	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 08:09
-	14	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (boost\$3 near3 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 08:10
-	13	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (boost\$3 near3 voltage)) not ((345/82,83,55,102.ccls. and (constant adj2 current)) and (boost\$3 near3 voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 08:11
-	5	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and ((constant adj2 current) near8 (var\$5 or chang\$4 or adjust\$4) near8 temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 08:26
-	257	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) not (((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) or ((345/82,83,55,102.ccls. and (constant adj2 current)) and (boost\$3 near3 voltage)) or (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (boost\$3 near3 voltage)) or (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and ((constant adj2 current) near8 (var\$5 or chang\$4 or adjust\$4) near8 temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 08:27

-	237	(((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) not (((345/82,83,55,102.ccls. and ((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) or ((345/82,83,55,102.ccls. and (constant adj2 current)) and (boost\$3 near3 voltage)) or (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and (boost\$3 near3 voltage)) or (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and (constant adj2 current)) and ((constant adj2 current) near8 (var\$5 or chang\$4 or adjust\$4) near8 temperature) ))) and (@ad<20020207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 09:50
-	2951	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 09:00
-	113	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((blink\$3 or flash\$3 or flicker) near8 (rate or frequency))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 08:39
-	22	(((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((blink\$3 or flash\$3 or flicker) near8 (rate or frequency))) and flicker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 08:43
-	91	(((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((blink\$3 or flash\$3 or flicker) near8 (rate or frequency))) not (((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((blink\$3 or flash\$3 or flicker) near8 (rate or frequency))) and flicker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 08:59
-	36	((led or (light adj emit\$4 adj diode)) adj2 driv\$3 adj2 circuit\$2) ) and ((led or (light adj emit\$4 adj diode)) near8 backlight\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 09:00